Amendment to the Claims:

Listing of the Claims

The listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1 and 2 (Cancelled)

Claim 3 (Currently Amended): A rapid dissolving reinforcing filler composition for organic systems comprising an effective amount of surface-modified, pyrogenically produced oxides doped by aerosol and having a hydrophobic surface, characterized in that wherein the oxides are selected from the group consisting of SiO₂, Al₂O₃, TiO₂, B₂O₃, ZrO₂, In₂O₃, ZnO, Fe₂O₃, Nb₂O₅, V₂O₅, WO₃, SnO₂ and GeO₂, wherein the hydrophobic surface results from coating of the pyrogenic oxides is modified to impart to the surface a sufficient hydrophobic character which permits rapid dissolution in organic systems at high concentrations with one or several compounds selected from the following groups:

- a) Organosilanes having either formula $(RO)_3Si(C_nH_{2n+1})$ or $(RO)_3Si(C_nH_{2n-1})$, wherein R = alkyl, and n = 1 20;
- b) Organosilanes having either formula R'_x (RO)_ySi(C_nH_{2n+1}) or (RO)₃Si(C_nH_{2n+1}), wherein

R = alkyl,

R' = alkyl,

R' = cycloalkyl

$$n = 1 - 20$$
,

$$x+y = 3$$
,

$$x = 1[[,]]$$
 or 2, and

$$y = 1[[,]] \text{ or } 2;$$

c) Halogen organosilanes having either formula X_3 Si(C_nH_{2n+1}) or X_3 Si(C_nH_{2n-1}), wherein

$$X = Cl[[,]]$$
 or Br, and

$$n = 1 - 20;$$

d) Halogen organosilanes having either formula X_2 (R') $Si(C_nH_{2n+1})$ or

$$X_{2}\left(R^{\prime}\right) Si(C_{n}H_{2n-1})$$
, wherein

$$X = Cl[[,]]$$
 or Br

$$n = 1 - 20;$$

e) Halogen organosilanes having formula $X(R')_2 Si(C_nH_{2n+1})$ or

$$X(R')_2 Si(C_nH_{2n-1})$$
, wherein

$$X = Cl[[,]]$$
 or Br;

$$n = 1 - 20;$$

```
f) Organosilanes having the formula (RO)<sub>3</sub>Si(CH<sub>2</sub>)<sub>m</sub>-R'
         R = alkyl,
         m = 0[[,]] or 1-20, and
          R' = methyl-, aryl-, -C_6H_5, substituted phenyl groups,
                   -C_4F_9, OCF<sub>2</sub>-CHF-CF<sub>3</sub>, -C_6F_{13}, -O-CF<sub>2</sub>-CHF<sub>2</sub>,
          -NH_2, =N_3, -SCN, -CH=CH_2, -NH-CH_2-CH_2-NH_2,
                   -N-(CH<sub>2</sub>-CH<sub>2</sub>-CH<sub>2</sub>NH<sub>2</sub>)<sub>2</sub>,
          -OOC(CH_3)C = CH_2,
                   -OCH_2-CH(O) CH_2,
          -NH-CO-N-CO-(CH_2)_5,
                   -NH-COO-CH<sub>3</sub>, -NH-COO-CH<sub>2</sub>-CH<sub>3</sub>, -NH-(CH<sub>2</sub>)<sub>3</sub>Si(OR)<sub>3</sub>,
                   -SH[[,]] or
          -NR'R'', wherein R' = alkyl, or aryl; R'' = H, alkyl, aryl; and R''' = H, alkyl, aryl,
benzyl, or C_2H_4N(R'''')_2, wherein R''''=H, or alkyl;
          g) Organosilanes having the formula (R")<sub>x</sub> (RO)<sub>y</sub> Si(CH<sub>2</sub>)<sub>m</sub>-R', wherein
                   = alkyl[[,]] or cycloalkyl,
          R"
          x+y = 2,
          x = 1[[,]] \text{ or } 2,
          y = 1[[,]] \text{ or } 2,
          m = 0[[,]] or 1 to 20, and
```

$$R'= \text{methyl-, aryl, -C}_6H_5, \text{ substituted phenyl groups,}$$

$$-C_4F_9, -\text{OCF}_2\text{-CHF-CF}_3, -C_6F_{13}, -\text{O-CF}_2\text{-CHF}_2,$$

$$-\text{NH}_2, -\text{N}_3, \text{SCN, -CH} = \text{CH}_2, -\text{NH-CH}_2\text{-CH}_2\text{-NH}_2,$$

$$-\text{N-(CH}_2\text{-CH}_2\text{-NH}_2)_2,$$

$$-\text{OOC (CH}_3\text{)C} = \text{CH}_2,$$

$$-\text{OCH}_2\text{-CH(O) CH}_2,$$

$$-\text{NH-CO-N-CO-(CH}_2)_5,$$

$$-\text{NH-COO-CH}_3, -\text{NH-COO-CH}_2\text{-CH}_3, -\text{NH-(CH}_2)_3\text{Si(OR)}_3,$$

$$[[\text{or}]] -\text{SH } [[,]] \text{ or }$$

$$-\text{NR'R''R''', wherein } R' = \text{alkyl or aryl; } R'' = \text{H,}$$

$$\text{alkyl, or aryl; and } R''' = \text{H, alkyl, aryl, benzyl, or}$$

h) Halogen organosilanes having the formula X₃Si (CH₂)_m-R', wherein

$$X = Cl[[,]]$$
 or Br,

$$m = 0[[,]] or 1 - 20,$$

R' = methyl-, aryl, $-C_6H_5$, substituted phenyl groups

$$-C_4F_9$$
, $-OCF_2$ -CHF-CF₃, $-C_6F_{13}$, $-O$ -CF₂-CHF₂,

 $C_2H_4N(R^{"})_2$, wherein $R^{"}=H$, or alkyl;

$$-OOC(CH_3)C = CH_2$$

```
-NH-CO-N-CO-(CH<sub>2</sub>)<sub>5</sub>,

-NH-COO-CH<sub>3</sub>, -NH-COO-CH<sub>2</sub>-CH<sub>3</sub>, -NH-(CH<sub>2</sub>)<sub>3</sub>Si(OR)<sub>3</sub>, or

-SH;
```

i) Halogen organosilanes having the formula (R)X₂Si(CH₂)_m-R', wherein

$$X = Cl[[,]]$$
 or Br,

R = alkyl such as methyl-, ethyl-, or propyl-,

$$m = 0[[,]]$$
 or $1 - 20$, and

R' = methyl-, aryl-, - C_6H_5 , substituted phenyl groups,

$$-C_4F_9$$
, $-OCF_2$ -CHF-CF₃, $-C_6F_{13}$, $-O$ -CF₂-CHF₂,

-OOC (
$$CH_3$$
) $C = CH_2$,

-NH-
$$(CH_2)_3Si(OR)_3[[,]]$$
 or

-SH;

(j) Halogen organosilanes having the formula $(R)_2X$ Si $(CH_2)_m$ -R', wherein

$$X = Cl[[,]]$$
 or Br,

$$R = alkyl,$$

m = 0[[,]] or 1 - 20, and

R' = methyl-, aryl-, $-C_6H_5$, substituted phenyl groups,

-C₄F₉, -OCF₂-CHF-CF₃, -C₆F₁₃, -O-CF₂-CHF₂,

-NH₂, -N₃, SCN, -CH=CH₂, -NH-CH₂-CH₂-NH₂,

 $-N-(CH_2-CH_2-NH_2)_2$,

-OOC (CH_3) $C = CH_2$,

-OCH₂-CH(O) CH₂,

-NH-CO-N-CO- $(CH_2)_5$,

-NH-COO-CH $_3$, -NH-COO-CH $_2$ -CH $_3$, -NH-(CH $_2$) $_3$ Si(OR) $_3$ [[,]] or

-SH;

(k) Silazanes having the formula

wherein R = alkyl, and

R' = alkyl[[,]] or vinyl; or

(l) Cyclic polysiloxanes D 3, D 4 or D 5,

where 1) D3 has the formula:

2) D4 has the formula:

$$CH_3$$
 CH_3
 H_3C O CH_3
 H_3C O CH_3
 CH_3 CH_3

m) Polysiloxanes or silicone oils having any one of the formula

,
$$Si(CH_3)_2OH,\,Si(CH_3)_2\,(OCH_3)$$
 [[,]] or

$$Si(CH_3)_2$$
 (C_nH_{2n+1}), wherein n=1-20,

wherein,

$$R = alkyl, aryl, (CH2)n-NH2[[,]] or H,$$

$$R' = alkyl, aryl, (CH2)n-NH2[[,]] or H,$$

R'' = alkyl, aryl, (CH₂)_n-NH₂ [[,]] or H,

R'''= alkyl, aryl, $(CH_2)_n$ -NH₂ [[,]] or H.

Claim 4 (Currently amended): A method of producing the surface-modified oxides in accordance with claim 3, comprising placing pyrogenically produced oxides doped by aerosol in a suitable mixing container, spraying the oxides with water and/or acid and then spraying the oxides under intensive mixing with the surface-modification reagent or a mixture of several surface-modification reagents.

Claim 5 (Previously presented): In a reinforcing filler composition wherein the improvement comprises the surface-modified oxides according to claim 3 as reinforcing filler.

Claim 6 (Cancelled)

Claim 7 (Original) The method of claim 4 further comprising re-mixing at 15 to 30 minutes and tempering at a temperature of 100 to 400 °C for a period of 1 to 6 hours.

Claim 8 (Previously presented) The surface-modified, pyrogenically produced oxides according to claim 3 wherein the cyclic polysiloxanes is D 4.

Claim 9 (Cancelled)

Claim 10 (New) The surface-modified, pyrogenically produced oxides according to claim 3 wherein the doped by aerosol, which includes dopant selected from cerium, noble metals, potassium or aluminum.

Claim 11 (New) The surface-modified, pyrogenically produced oxides according to claim 10 wherein the dopant is potassium or salts thereof.

Claim 12 (New) The surface-modified, pyrogenically produced oxides according to claim 10 wherein the dopant is aluminum or salts thereof.